

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	10	(primary and secondary and actuator\$1 and linkage\$1 and (suspension\$1 or arm\$1)).clm.	US-PGPUB	2005/06/23 18:50

	Hits	Search Text	DBs	Time Stamp
1	227212	microactuator\$1 micropositioner\$1 subactuator\$1 ((actuator\$1 positioner\$1 positioning motor\$1 (displacement adj element\$1)) near2 (auxiliary second\$3 fine\$2 micro sub dual two multiple plural\$3 piezo piezoelectric\$4 PZT bimorph\$2 MEM MEMS piggyback\$3 (piggy adj back\$3) electrostatic\$4 (electro adj static\$4) ((fast high wide large) near1 (resolution response bandwidth\$1 (band adj width\$1))))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/04/05 12:30
2	685368	((compensat\$4 correct\$4 eliminat\$4 suppress\$4 attenuat\$5 counteract\$4 (counter adj act\$4) stabiliz\$6 alleviat\$5 rid ridding halt\$4 quell\$4 inhibit\$4 prevent\$4 regulat\$4 stop\$4 shrink\$4 cancel\$7 remov\$6 control\$5 damp\$6) near6 (vibrat\$6 torsion\$3 twist\$3 flex\$6 flutter\$3 oscillat\$4 shak\$3 resonat\$5 deform\$6 bend\$3 sway\$3 ((butterfly s (end adj arm)) adj mode\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/04/05 12:37
3	3040399	(phase\$1 ((zero "0" "180") adj degree\$1)) near3 (shift\$3 chang\$3 lead\$3 lag\$4 compensat\$4 correct\$4 ((zero "0" "180") adj degree\$1)) (out adj of adj phase) (in adj phase) inverse\$2 oppos\$5 mirror\$3 symmetr\$6 compliment\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/04/05 13:25
4	628185	((magnetic storage drive\$1 device\$1) near2 (disk\$5 disc\$1 media medium)) (storage near2 (drive\$1 device\$1)) DASD HDD HDA	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/04/05 13:26
5	825	((SI same S2) and (SI same S3)) ((SI same S3) and (S2 same S3))) and (S4 (360/69.ccls. 360/75.ccls. 360/78.05.ccls. 360/78.12.ccls.))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/04/05 13:28
6	127	((SI same S2) and (SI same S3)) ((SI same S3) and (S2 same S3))	EPO; JPO; IBM_TDB	2005/04/05 13:28
7	942	S5 S6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/04/05 13:29
8	7	((("5,471,734") or ("6,100,623") or ("6,157,522") or ("6,583,964") or ("6,621,653") or ("6,624,983") or ("20030147181").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/04/05 21:06
9	0	("6765743").URPN.	USPAT	2005/04/05 21:41

10	10	("4616277" "4858040" "4967293" "5062012" "6034834" "6052251" "6483659" "6496323" "6522494" "6614613").FN.	us-PGPUB; usPAT; usOCR	2005/04/05 21:42
----	----	---	---------------------------	------------------

	Hits	Search Text	DBs	Time Stamp
11	4	("5745319" "5856896" "5959808" "6483659").PN.	US-PGPUB; USPAT; USOCR	2005/04/06 09:09
12	3	("6542326").URPN.	USPAT	2005/04/06 09:25
13	13	("4786994" "4931712" "5452275" "5459383" "5471734" "5502606" "5521772" "5621656" "5638267" "5805386" "5901010" "6160676" "6483659").PN.	US-PGPUB; USPAT; USOCR	2005/04/07 13:57
14	207	360/264.4.ccls. 360/294.4.ccls.	US-PGPUB; USPAT; USOCR	2005/04/07 13:58
15	0	("6624983").URPN.	USPAT	2005/04/07 14:10
16	13	("5189578" "5801908" "6025975" "6052251" "6088194" "6157522" "6249064" "6268983" "6310750" "6327120" "6335849" "6507463" "6515834").PN.	US-PGPUB; USPAT; USOCR	2005/04/07 14:10
17	5	("6515834").URPN.	USPAT	2005/04/07 14:11
18	3	("6233124" "6268983" "6327120").PN.	US-PGPUB; USPAT; USOCR	2005/04/07 14:11
19	2	("6624982").URPN.	USPAT	2005/04/07 14:16
20	4	("6268983" "6456464" "6487055" "6515834").PN.	US-PGPUB; USPAT; USOCR	2005/04/07 14:18

	L #	Hits	Search Text	DBs	Time Stamp
			microactuator\$1 micropositioner\$1 subactuator\$1 ((actuator\$1 positioner\$1 positioning motor\$1 (displacement adj element\$1)) near2 (auxiliary second\$3 fine\$2 micro sub dual two multiple plural\$3 piezo piezoelectric\$4 PZT bimorph\$2 MEM MEMS piggyback\$3 (piggy adj back\$3) electrostatic\$4 (electro adj static\$4) ((fast high wide large) near1 (resolution response bandwidth\$1 (band adj width\$1))))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/06/23 19:09
	L1	232671			
			((compensat\$4 correct\$4 eliminat\$4 suppress\$4 attenuat\$5 counteract\$4 (counter adj act\$4) stabiliz\$6 alleviat\$5 ridding halt\$4 quell\$4 inhibit\$4 prevent\$4 regulat\$4 stop\$4 shrink\$4 cancel\$7 remov\$6 control\$5 damp\$6) near6 (vibrat\$6 torsion\$3 twist\$3 flex\$6 flutter\$3 oscillat\$4 shak\$3 resonat\$5 deform\$6 bend\$3 sway\$3 ((butterfly s (end adj arm)) adj mode\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/06/23 19:09
	L2	698005			
			(phase\$1 ((zero "0" "180") adj degree\$1)) near3 (shift\$3 chang\$3 lead\$3 lag\$4 compensat\$4 correct\$4 ((zero "0" "180") adj degree\$1)) (out adj of adj phase) (in adj phase) inverse\$2 oppos\$5 mirror\$3 symmetr\$6 compliment\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/06/23 19:09
	L3	3098758			
			((magnetic storage drive\$1 device\$1) near2 (disk\$5 disc\$1 media medium)) (storage near2 (drive\$1 device\$1)) DASD HDD HDA	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/06/23 19:09
	L4	648274			
			((((1 same 2) and (1 same 3)) ((1 same 3) and (2 same 3))) and (4 (360/69.ccls. 360/75.ccls. 360/78.05.ccls. 360/78.12.ccls.))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/06/23 19:10
	L5	850			
			((1 same 2) and (1 same 3)) ((1 same 3) and (2 same 3))	EPO; JPO; IBM_TDB	2005/06/23 19:11
	L6	128			